

[Help](#)

```
#include "
href../../../../mod/bs2d/bs2d_std2d/bs2d_std2d_h_src.pdfbs2d_std2d.h"
#include "
href../../../../common/error_msg_h_src.pdferror_msg.h"

static int BoyleEvnineGibbs_88(int am, double s1, double s2, NumFunc_2 *p, double
                                double *ptprice, double *ptdelta1, double *ptdelt
{
    int i, j, k;
    double h, m1, m2, u1, u2, d1, d2, lowerstock1, upperstock2, puu, pud, pdu, pdd
    double **iv, **P;

    /*Memory Allocation*/
    iv = (double **)calloc(2 * N + 1, sizeof(double *));
    if (iv == NULL)
        return MEMORY_ALLOCATION_FAILURE;
    for (i = 0; i < 2 * N + 1; i++)
    {
        iv[i] = (double *)calloc(2 * N + 1, sizeof(double));
        if (iv[i] == NULL)
            return MEMORY_ALLOCATION_FAILURE;
    }

    P = (double **)calloc(N + 1, sizeof(double *));
    if (P == NULL)
        return MEMORY_ALLOCATION_FAILURE;
    for (i = 0; i < N + 1; i++)
    {
        P[i] = (double *)calloc(N + 1, sizeof(double));
        if (P[i] == NULL)
            return MEMORY_ALLOCATION_FAILURE;
    }

    /*Up and Down factors*/
    h = t / (double)N;
    u1 = exp(sigma1 * sqrt(h));
    d1 = 1.0 / u1;
    u2 = exp(sigma2 * sqrt(h));
    d2 = 1.0 / u2;
```

```

/*Risk-Neutral Probabilities*/
m1 = (r - divid1) - SQR(sigma1) / 2.0;
m2 = (r - divid2) - SQR(sigma2) / 2.0;

puu = exp(-r * h) * (1 + rho + sqrt(h) * (m1 / sigma1 + m2 / sigma2)) / 4.0;
pud = exp(-r * h) * (1 - rho + sqrt(h) * (m1 / sigma1 - m2 / sigma2)) / 4.0;
pdu = exp(-r * h) * (1 - rho + sqrt(h) * (-m1 / sigma1 + m2 / sigma2)) / 4.0;
pdd = exp(-r * h) * (1 + rho - sqrt(h) * (m1 / sigma1 + m2 / sigma2)) / 4.0;

/*Terminal Values*/
lowerstock1 = s1;
upperstock2 = s2;
for (i = 0; i < N; i++)
{
    lowerstock1 *= d1;
    upperstock2 *= u2;
}

stock1 = lowerstock1;
stock2 = upperstock2;
for (i = 0; i <= 2 * N; i++, stock2 *= d2, stock1 = lowerstock1)
    for (j = 0; j <= 2 * N; j++, stock1 *= u1)
        iv[i][j] = (p->Compute)(p->Par, stock1, stock2);
for (i = 0; i <= N; i++)
    for (j = 0; j <= N; j++)
        P[i][j] = iv[2 * i][2 * j];

/*Backward Cycle*/
for (k = 1; k <= N - 1; k++)
{
    for (i = 0; i <= N - k; i++)
    {
        for (j = 0; j <= N - k; j++)
        {
            P[i][j] = pdu * P[i][j] + puu * P[i][j + 1] + pdd * P[i + 1][j] +
            if (am)
            {
                P[i][j] = MAX(iv[2 * i + k][2 * j + k], P[i][j]);
            }
        }
    }
}

```

```

    }
}

/*Deltas*/
MOD_OPT(Delta_Operator)(u1, d1, u2, d2, s1, s2, P[0][1], P[1][1], P[0][0], P[1][0]);

/*First Time Step*/
P[0][0] = pdu * P[0][0] + puu * P[0][1] + pdd * P[1][0] + pud * P[1][1];;
if (am)
    P[0][0] = MAX(iv[N][N], P[0][0]);
/*Price*/
*ptprice = P[0][0];

/*Memory desallocation*/
for (i = 0; i < 2 * N + 1; i++)
    free(iv[i]);
free(iv);

for (i = 0; i < N + 1; i++)
    free(P[i]);
free(P);

return OK;
}

int CALC(TR_BoyleEvnineGibbs)(void *Opt, void *Mod, PricingMethod *Met)
{
    TYPEOPT *ptOpt = (TYPEOPT *)Opt;
    TYPEMOD *ptMod = (TYPEMOD *)Mod;
    double r, divid1, divid2;

    r = log(1. + ptMod->R.Val.V_DOUBLE / 100.);
    divid1 = log(1. + ptMod->Divid1.Val.V_DOUBLE / 100.);
    divid2 = log(1. + ptMod->Divid2.Val.V_DOUBLE / 100.);

    return BoyleEvnineGibbs_88(ptOpt->EuOrAm.Val.V_BOOL, ptMod->S01.Val.V_PDOUBLE,
                                ptMod->S02.Val.V_PDOUBLE, ptOpt->PayOff.Val.V_NUMFU
                                r, divid1, divid2, ptMod->Sigma1.Val.V_PDOUBLE,
                                ptMod->Sigma2.Val.V_PDOUBLE, ptMod->Rho.Val.V_RGDOU
                                Met->Par[0].Val.V_INT, &(Met->Res[0].Val.V_DOUBLE),
}

```

```

static int CHK_OPT(TR_BoyleEvnineGibbs)(void *Opt, void *Mod)
{
    return OK;
}

static int MET(Init)(PricingMethod *Met, Option *Opt)
{
    if (Met->init == 0)
    {
        Met->init = 1;

        Met->Par[0].Val.V_INT2 = 100;

    }

    return OK;
}

PricingMethod MET(TR_BoyleEvnineGibbs) =
{
    "TR_BoyleEvnineGibbs",
    {"StepNumber", INT2, {100}, ALLOW}, {" ", PREMIA_NULLTYPE, {0}, FORBID}},
    CALC(TR_BoyleEvnineGibbs),
    { {"Price", DOUBLE, {100}, FORBID}, {"Delta1", DOUBLE, {100}, FORBID} , {"Delt
        {" ", PREMIA_NULLTYPE, {0}, FORBID}
    },
    CHK_OPT(TR_BoyleEvnineGibbs),
    CHK_tree,
    MET(Init)
};

```