Help

```
#include <stdlib.h>
#include "
href../../../mod/blackkarasinski1d/blackkarasinski1d_stdi/blackkarasinski1d_stdi
#include "pnl/pnl_vector.h"
#include "
href../../../common/math/InterestRateModelTree/TreeShortRate/TreeShortRate_h_src
#include "
href../../../common/math/read_market_zc/InitialYieldCurve_h_src.pdfmath/read_mar


#if defined(PremiaCurrentVersion) && PremiaCurrentVersion < (2007+2) //The "#els
static int CHK_OPT(TR_CapFloorBK1D)(void *Opt, void *Mod)
{
  return NONACTIVE;
}
int CALC(TR_CapFloorBK1D)(void *Opt, void *Mod, PricingMethod *Met)
{
  return AVAILABLE_IN_FULL_PREMIA;
}
#else

// Payoff resulting from the last rate setting
static void CapFloor_InitialPayoffBK1D(TreeShortRate *Meth, ModelParameters *Mod
{
  int jminprev, jmaxprev;
  int j;

  double ZCPrice;

  jminprev = pnl_vect_int_get(Meth->Jminimum, Meth->Ngrid);  // jmin(Ngrid)
  jmaxprev = pnl_vect_int_get(Meth->Jmaximum, Meth->Ngrid);  // jmax(Ngrid)

  pnl_vect_resize(ZCbondPriceVect, jmaxprev - jminprev + 1);

  pnl_vect_set_double(ZCbondPriceVect, 1.0); // Payoff = 1 for a ZC bond

  BackwardIteration(Meth, ModelParam, OptionPriceVect, ZCbondPriceVect, Meth->Ng

  p->Par[0].Val.V_DOUBLE = 1.0 ;
```

```
  for (j = 0 ; j < ZCbondPriceVect->size ; j++)
    {
      ZCPrice = GET(ZCbondPriceVect, j);

      LET(OptionPriceVect, j) = (p->Compute)(p->Par, (1 + periodicity * CapFloor
    }
}


// Dynamic programming + adding payoff at each reseting date
static void CapFloor_BackwardIterationBK1D(TreeShortRate *Meth, ModelParameters
{
  double a , sigma;

  int jmin; // jmin[i+1], jmax[i+1]
  int jminprev, jmaxprev; // jmin[i], jmax [i]
  int i, j, k; // i = represents the time index. j, k represents the nodes index

  double eta_over_delta_x;
  double delta_x1, delta_x2; // delta_y1 = space step of the process y at time i
  double delta_t1, delta_t2; // time step
  double beta_x;     // quantity used in the compuation of the probabilities. it

  double current_rate;
  double ZCPrice;

  double Pup, Pmiddle, Pdown;

  ///*******************Parameters of the processes r, u and y ****************
  a = ModelParam->MeanReversion;
  sigma = ModelParam->RateVolatility;

  jminprev = pnl_vect_int_get(Meth->Jminimum, index_last);  // jmin(index_last)
  jmaxprev = pnl_vect_int_get(Meth->Jmaximum, index_last);  // jmax(index_last)

  pnl_vect_resize(ZCbondPriceVect2, OptionPriceVect2->size);

  pnl_vect_set_double(ZCbondPriceVect2, 1.0); // Payoff = 1 for a ZC bond

  ///** Backward computation of the option price from "index_last-1" to "index_f
```

```
for (i = index_last - 1; i >= index_first; i--)
  {
    jmin = jminprev; // jmin := jmin(i+1)

    jminprev = pnl_vect_int_get(Meth->Jminimum, i); // jminprev := jmin(i)
    jmaxprev = pnl_vect_int_get(Meth->Jmaximum, i); // jmaxprev := jmax(i)

    pnl_vect_resize(OptionPriceVect1, jmaxprev - jminprev + 1); // OptionPrice
    pnl_vect_resize(ZCbondPriceVect1, jmaxprev - jminprev + 1);

    delta_t1 = GET(Meth->t, i) - GET(Meth->t, MAX(i - 1, 0));
    delta_t2 = GET(Meth->t, i + 1) - GET(Meth->t, i);

    delta_x1 = SpaceStep(delta_t1, a, sigma);  // SpaceStep (i)
    delta_x2 = SpaceStep(delta_t2, a, sigma);  // SpaceStep (i+1)

    beta_x = (delta_x1 / delta_x2) * exp(-a * delta_t2);

    // Boucle sur les noeuds
    for (j = jminprev ; j <= jmaxprev ; j++)
      {
        k = pnl_iround(j * beta_x); // index of the middle node emanating from
        eta_over_delta_x = j * beta_x - k; // quantity used in the compuation

        Pup = ProbaUp(eta_over_delta_x); // Probability of an up move from (i,
        Pmiddle = ProbaMiddle(eta_over_delta_x); // Probability of a middle mo
        Pdown = 1 - Pup - Pmiddle; // Probability of a down move from (i,j)

        current_rate = func_model_bk1d(j * delta_x1 + GET(Meth->alpha, i)); //

        LET(OptionPriceVect1, j - jminprev) = exp(-current_rate * delta_t2) *

        LET(ZCbondPriceVect1, j - jminprev) = exp(-current_rate * delta_t2) *

      }

    // Copy OptionPrice1 in OptionPrice2
    pnl_vect_clone(OptionPriceVect2, OptionPriceVect1);
    pnl_vect_clone(ZCbondPriceVect2, ZCbondPriceVect1);

  } // END of the loop on i
```

```
  p->Par[0].Val.V_DOUBLE = 1.0 ;

  for (j = 0 ; j < ZCbondPriceVect2->size ; j++)
    {
      ZCPrice = GET(ZCbondPriceVect2, j);

      LET(OptionPriceVect2, j) += (p->Compute)(p->Par, (1 + periodicity * CapFlo
    }

}

// Price of a Cap/Floor using a trinomial tree
static double tr_bk1d_capfloor(TreeShortRate *Meth, ModelParameters *ModelParam,
{
  double OptionPrice, Ti2, Ti1;
  int  i, i_Ti2, i_Ti1, n;

  PnlVect *OptionPriceVect1; // Vector of prices of the option at i
  PnlVect *OptionPriceVect2; // Vector of prices of the option at i+1
  PnlVect *ZCbondPriceVect1; // Vector of prices of the option at i+1
  PnlVect *ZCbondPriceVect2; // Vector of prices of the option at i+1
  OptionPriceVect1 = pnl_vect_create(1);
  OptionPriceVect2 = pnl_vect_create(1);
  ZCbondPriceVect1 = pnl_vect_create(1);
  ZCbondPriceVect2 = pnl_vect_create(1);


  ///**************** PAYOFF at the MATURITY of the OPTION : T(n-1)************
  Ti2 = contract_maturity;
  Ti1 = Ti2 - periodicity;
  i_Ti1 = IndexTime(Meth, Ti1);


  CapFloor_InitialPayoffBK1D(Meth, ModelParam, ZCbondPriceVect2, OptionPriceVect

  ///**************** Backward computation of the option price ***************/

  n = (int)((contract_maturity - first_reset_date) / periodicity + 0.1);

  for (i = n - 2; i >= 0; i--)
```

```
    {
      Ti1 = first_reset_date + i * periodicity; // Ti1 = T(i)
      Ti2 = Ti1 + periodicity;                  // Ti2 = T(i+1)

      i_Ti2 = IndexTime(Meth, Ti2);
      i_Ti1 = IndexTime(Meth, Ti1);

      CapFloor_BackwardIterationBK1D(Meth, ModelParam, p, ZCbondPriceVect1, ZCbo
    }

  ///****************** Price of the option at initial time s *****************
  BackwardIteration(Meth, ModelParam, OptionPriceVect1, OptionPriceVect2, i_Ti1,

  OptionPrice = GET(OptionPriceVect1, 0);

  pnl_vect_free(& OptionPriceVect1);
  pnl_vect_free(& OptionPriceVect2);
  pnl_vect_free(& ZCbondPriceVect1);
  pnl_vect_free(& ZCbondPriceVect2);

  return OptionPrice;

}

static int tr_capfloor1d(int flat_flag, double r0, char *curve, double a, double
{
  TreeShortRate Tr;
  ModelParameters ModelParams;
  ZCMarketData ZCMarket;

  /* Flag to decide to read or not ZC bond data in "initialyields.dat" */
  /* If P(0,T) not read then P(0,T)=exp(-r0*T) */
  if (flat_flag == 0)
    {
      ZCMarket.FlatOrMarket = 0;
      ZCMarket.Rate = r0;
    }

  else
    {
      ZCMarket.FlatOrMarket = 1;
```

```
      ZCMarket.filename = curve;
      ReadMarketData(&ZCMarket);

      if (contract_maturity > GET(ZCMarket.tm, ZCMarket.Nvalue - 1))
        {
          printf("\ nError : time bigger than the last time value entered in ini
          exit(EXIT_FAILURE);
        }
    }

  ModelParams.MeanReversion  = a;
  ModelParams.RateVolatility = sigma;

  SetTimeGrid_Tenor(&Tr, N_steps, first_reset_date, contract_maturity, periodici

  SetTreeShortRate(&Tr, &ModelParams, &ZCMarket, &func_model_bk1d, &func_model_d

  *price =  Nominal * tr_bk1d_capfloor(&Tr, &ModelParams, &ZCMarket, N_steps, p,

  DeleteTreeShortRate(&Tr);
  DeleteZCMarketData(&ZCMarket);

  return OK;
}



///********************************************** PREMIA FUNCTIONS ***********

int CALC(TR_CapFloorBK1D)(void *Opt, void *Mod, PricingMethod *Met)
{
  TYPEOPT *ptOpt = (TYPEOPT *)Opt;
  TYPEMOD *ptMod = (TYPEMOD *)Mod;

  return  tr_capfloor1d(ptMod->flat_flag.Val.V_INT,
                        MOD(GetYield)(ptMod),
                        MOD(GetCurve)(ptMod),
                        ptMod->a.Val.V_DOUBLE,
                        ptMod->Sigma.Val.V_PDOUBLE,
                        ptOpt->BMaturity.Val.V_DATE - ptMod->T.Val.V_DATE,
                        ptOpt->FirstResetDate.Val.V_DATE - ptMod->T.Val.V_DATE,
```

```
                          ptOpt->ResetPeriod.Val.V_DATE,
                          ptOpt->Nominal.Val.V_PDOUBLE,
                          ptOpt->FixedRate.Val.V_PDOUBLE,
                          ptOpt->PayOff.Val.V_NUMFUNC_1,
                          Met->Par[0].Val.V_LONG,
                          &(Met->Res[0].Val.V_DOUBLE));

}
static int CHK_OPT(TR_CapFloorBK1D)(void *Opt, void *Mod)
{
  if ((strcmp(((Option *)Opt)->Name, "Cap") == 0) || (strcmp(((Option *)Opt)->Na
    return OK;
  else
    return WRONG;
}
#endif //PremiaCurrentVersion


static int MET(Init)(PricingMethod *Met, Option *Opt)
{
  if (Met->init == 0)
    {
      Met->init = 1;

      Met->Par[0].Val.V_LONG = 10;


    }
  return OK;
}


PricingMethod MET(TR_CapFloorBK1D) =
{
  "TR_BlackKarasinski1d_CapFloor",
  { {"TimeStepNumber per Period", LONG, {100}, ALLOW},
    {" ", PREMIA_NULLTYPE, {0}, FORBID}
  },
  CALC(TR_CapFloorBK1D),
  {{"Price", DOUBLE, {100}, FORBID}/*,{"Delta",DOUBLE,{100},FORBID} */, {" ", PR
  CHK_OPT(TR_CapFloorBK1D),
```

```
  CHK_ok,
  MET(Init)
} ;
```