

## [Help](#)

```
#include "
href../../mod/doublehes1d/doublehes1d_std/doublehes1d_std_h_src.pdfhes1d_std.

#if defined(PremiaCurrentVersion) && PremiaCurrentVersion < (2010+2) //The "#els
static int CHK_OPT(AP_Alos_Heston)(void *Opt, void *Mod)
{
    return NONACTIVE;
}
int CALC(AP_Alos_Heston)(void *Opt, void *Mod, PricingMethod *Met)
{
    return AVAILABLE_IN_FULL_PREMIA;
}
#else
////////////////////////////////////

static double d1(double x, double t, double s, double K, double r, double T)
{
    double d = (log(x / K) + (r + s * s / 2) * (T - t)) / (s * sqrt(T - t));
    return d;
}

static double H(double t, double x, double v, double K, double r, double T)
{
    double a, d, HH;
    a = d1(x, t, v, K, r, T) * d1(x, t, v, K, r, T);
    d = v * sqrt((T - t) * 2 * M_PI);
    HH = exp(-a / 2) / d * x * (1 - d1(x, t, v, K, r, T) / v / sqrt(T));
    return HH;
}

static double diffH(double v, double T, double S, double K, double r)
{
    return (-0.5 / pow(v, 3) * pow(2, 0.5) / pow(M_PI, 0.5) / pow(T, 0.5) * (log(S
}

int ApAlosHeston(double S, NumFunc_1 *p, double T, double r, double divid, doub
{
    int flag_call;
```

```

double K, prix, delta, price_bs, delta_bs;
double v0et, I, d;

K = p->Par[0].Val.V_PDOUBLE;

if ((p->Compute) == &Call)
    flag_call = 1;
else
    flag_call = 0;;

//Calculation of the quantity denote by v0* in the paper
v0et = sqrt(theta + 1 / (kappa * T) * (v0 - theta) * (1 - exp(-kappa * T)));

// Calculation of the quantity denote by I in the paper
d = diffH(v0et, T, S, K, r);
I = sigma / kappa / kappa * (theta * (kappa * T - 2) + v0 + exp(-kappa * T) *

if (flag_call == 1)
{
    pnl_cf_call_bs(S, K, T, r, divid, v0et, &price_bs, &delta_bs);
    prix = price_bs + rho / 2.*H(0, S, v0et, K, r, T) * I;
    delta = delta_bs + rho / 2 * I * d;
}
else
{
    pnl_cf_put_bs(S, K, T, r, divid, v0et, &price_bs, &delta_bs);
    prix = price_bs + rho / 2 * H(0, S, v0et, K, r, T) * I;
    delta = delta_bs + rho / 2 * I * d;
}

/* Price*/
*ptprice = prix;

/* Delta */
*ptdelta = delta;

return OK;
}

int CALC(AP_Alos_Heston)(void *Opt, void *Mod, PricingMethod *Met)
{

```

```

TYPEOPT *ptOpt = (TYPEOPT *)Opt;
TYPEMOD *ptMod = (TYPEMOD *)Mod;
double r, divid;

if (ptMod->Sigma.Val.V_PDOUBLE == 0.0)
{
    Fprintf(TOSCREEN, "BLACK-SHOLES MODEL\ n\ n\ n");
    return WRONG;
}
else
{
    r = log(1. + ptMod->R.Val.V_DOUBLE / 100.);
    divid = log(1. + ptMod->Divid.Val.V_DOUBLE / 100.);

    return ApAlosHeston(ptMod->S0.Val.V_PDOUBLE,
                        ptOpt->PayOff.Val.V_NUMFUNC_1,
                        ptOpt->Maturity.Val.V_DATE - ptMod->T.Val.V_DATE,
                        r,
                        divid, ptMod->Sigma0.Val.V_PDOUBLE
                        , ptMod->MeanReversion.Val.V_PDOUBLE,
                        ptMod->LongRunVariance.Val.V_PDOUBLE,
                        ptMod->Sigma.Val.V_PDOUBLE,
                        ptMod->Rho.Val.V_PDOUBLE,
                        &(Met->Res[0].Val.V_DOUBLE),
                        &(Met->Res[1].Val.V_DOUBLE)
                        );
}
}

static int CHK_OPT(AP_Alos_Heston)(void *Opt, void *Mod)
{
    if ((strcmp(((Option *)Opt)->Name, "CallEuro") == 0)
        || (strcmp(((Option *)Opt)->Name, "PutEuro") == 0))

        return OK;
    return WRONG;
}

#endif //PremiaCurrentVersion
static int MET(Init)(PricingMethod *Met, Option *Opt)

```

```

{
    if (Met->init == 0)
    {
        Met->init = 1;
    }

    return OK;
}

PricingMethod MET(AP_Alos_Heston) =
{
    "AP_Alos_Heston",
    {{ " ", PREMIA_NULLTYPE, {0}, FORBID}},
    CALC(AP_Alos_Heston),
    { {"Price", DOUBLE, {100}, FORBID},
      {"Delta", DOUBLE, {100}, FORBID} ,
      {" ", PREMIA_NULLTYPE, {0}, FORBID}
    },
    CHK_OPT(AP_Alos_Heston),
    CHK_ok,
    MET(Init)
};

```