

## [Help](#)

```
#include "
href../../../../mod/bs1d/bs1d_limdisc/bs1d_limdisc_h_src.pdfbs1d_limdisc.h"
#include "pnl/pnl_cdf.h"

static int FF_call_down_out(double matu, double cont, double k, double valini, d
{
    double BB, AA, RR, CC, DD, EE, price1, delta1;

    BB = (log(k / valini) + ((SQR(v)) / 2. - r) * matu) / (v * sqrt(matu));
    AA = (log(bar_inf / valini) + ((SQR(v)) / 2. - r) * cont) / (v * sqrt(cont));
    RR = sqrt(cont / matu);
    CC = valini * v * sqrt(2.*M_PI * cont);
    DD = (log(valini / bar_inf) + (r + (SQR(v)) / 2.) * cont) / (v * sqrt(cont));
    EE = (log(valini / k) + (r + (SQR(v)) / 2.) * matu) / (v * sqrt(matu));

    pnl_cf_call_bs(bar_inf, k, matu - cont, r, 0, v, &price1, &delta1);

    *pt_price = valini * pnl_cdf2nor(v * sqrt(cont) - AA, v * sqrt(matu) - BB, RR)

    *pt_delta = exp(-(r * cont) - (0.5) * SQR(log(bar_inf / valini) - (r - SQR(v)

    *pt_delta = (*pt_delta) * (price1 / CC) + pnl_cdf2nor(DD, EE, RR);

    return OK;
}

static int Integration_call_down_out_BGK(double matu, double k, double r, double
{
    double a, b, beta, h, lambda, price_1, price_2, price_3, delta_1, delta_2, del
        spot1_en_u, c, der_c;

    int j;

    a = matu / (double)nb_bar;
    beta = 0.5826;
    h = bar_inf * exp(-2 * beta * v * sqrt(a));
    lambda = (2 * r / SQR(v)) - 1;
    spot1_en_u = SQR(bar_inf) * exp(-2 * beta * v * sqrt(a)) / spot_en_u;
```

```

c = pow((bar_inf * exp(-beta * v * sqrt(a))) / spot_en_u, lambda);
der_c = -(lambda / bar_inf * exp(-beta * v * sqrt(a))) * pow(bar_inf * exp(-be

j = 1;
while (j <= (int)(u / a))
    j = j + 1;

b = (double)j * a;
if (b == u)
    b = u + a;
FF_call_down_out(matu - u, b - u, k, spot_en_u, r, v, bar_inf, &price_1, &delt
FF_call_down_out(matu - u, b - u, k, spot1_en_u, r, v, h, &price_2, &delta_2);
pnl_cf_call_bs(spot1_en_u, k, matu - u, r, 0., v, &price_3, &delta_3);
*pt_price = price_1 - c * price_3 + c * price_2;
*pt_delta = delta_1 - der_c * price_3 + c * delta_3 * (spot1_en_u / spot_en_u)

return OK;
}

int CALC(AP_BroadieGlassermanKou)(void *Opt, void *Mod, PricingMethod *Met)
{
    TYPEOPT *ptOpt = (TYPEOPT *)Opt;
    TYPEMOD *ptMod = (TYPEMOD *)Mod;
    double r, limit, sd;
    int return_value;

    r = log(1. + ptMod->R.Val.V_DOUBLE / 100.);
    limit = ((ptOpt->Limit.Val.V_NUMFUNC_1)->Compute)((ptOpt->Limit.Val.V_NUMFUNC_
    sd = (ptOpt->Limit.Val.V_NUMFUNC_1)->Par[0].Val.V_DATE;

    if (ptMod->Divid.Val.V_DOUBLE > 0)
    {
        Fprintf(TOSCREEN, "Divid >0 , untreated case\ n\ n\ n");
        return_value = WRONG;
    }
    else
        return_value = Integration_call_down_out_BGK(ptOpt->Maturity.Val.V_DATE - sd,
            (ptOpt->PayOff.Val.V_NUMFUNC_1)->Par[0].Val.V_PDOUBLE,
            r, ptMod->Sigma.Val.V_PDOUBLE, limit,
            (ptOpt->Limit.Val.V_NUMFUNC_1)->Par[2].Val.V_INT2,
            ptMod->T.Val.V_DATE - sd,

```

```

        ptMod->S0.Val.V_PDOUBLE,
        &(Met->Res[0].Val.V_DOUBLE), &(Met->Res[1].Val.V_DOUBLE));

    return return_value;

}

static int CHK_OPT(AP_BroadieGlassermanKou)(void *Opt, void *Mod)
{
    return strcmp(((Option *)Opt)->Name, "CallDownOutDiscEuro");
}

static int MET(Init)(PricingMethod *Met, Option *Opt)
{
    if (Met->init == 0)
    {
        Met->init = 1;
    }

    return OK;
}

PricingMethod MET(AP_BroadieGlassermanKou) =
{
    "AP_BroadieGlassermanKou",
    {" ", PREMIA_NULLTYPE, {0}, FORBID}},
    CALC(AP_BroadieGlassermanKou),
    {"Price", DOUBLE, {100}, FORBID}, {"Delta", DOUBLE, {100}, FORBID} , {" ", PR
    CHK_OPT(AP_BroadieGlassermanKou),
    CHK_ok,
    MET(Init)
} ;

```